
SECRET Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

PHOTOGRAPHIC INTERPRETATION REPORT

NPIC/R-1246/64 June 1964

MISSION COVERAGE INDEX

MISSIONS ___ 2066, 3045, 3046 6 JUNE 1964 MISSION 3043A 5 JUNE 1964






25X1

25**X**1




Declass Review by NIMA/DOD

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

25X1

Approved For Release 2003/01/28: CIA-RDP78B04560A003400010023-6

NPIC/R-1246/64

PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS
THE INTELLIGENCE TARGETS IMAGED ON THE
PHOTOGRAPHY OF MISSIONS 2066,
3045 & 3046 DATED 6 JUNE 1964 AND 3043A DATED
5 JUNE 1964 COVERING LAOS. NO TARGETS WERE
OBSERVED ON MISSION 3043A.
ITEMS ARE ARRANGED IN SECTIONS --

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGES, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH OF THE SECTIONS ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1.250,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT

Approved For Release 2003/01/28: CIA-RDP78B04560A003400010023-6

NPIC/R-1246/64

THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

SECTION I

THIS SECTION PROVIDES SUMMARY INFORMATION FOR A) NEWLY IDENTIFIED TARGETS, B) PREVIOUSLY REPORTED TARGETS WHICH SHOW A CHANGE, AND C) ALL TARGETS SHOWING ORDER OF BATTLE INFORMATION.

25X1

NPIC/R-1246/64

Target	Coordinates	WAC	Target	et Numbers	
, argo	Coordinates	#AC	BE	NPIC	
	-3				
1.400					
-L AOS-					
AIR-INSTALLATIONS					
BAN SOUI AIRFIELD	1931N 10253E	Ø617		478	
.8 NM ESE OF BAN SOUL AT UTM TG780605.					
1,500 X 125 FT ENE/WSW SOD RUNWAY,					
SERVICEABLE.					
FACILITIES INCLUDE A SMALL SUPPORT AREA JUST					
NORTH OF WSW END OF RUNWAY, ONE LARGE AND 6					
SMALL TENTS, APPROXIMATELY 40 POL DRUMS, AND CRATED MATERIALS IN OPEN STORAGE. TEN					
PERSONNEL OBSERVED.					
PARTIAL COVERAGE PRECLUDES FURTHER					
INTERPRETATION.					
AN NON HON AIRFIELD	1926N 10305E	Ø617		427	
1.6 NM WEST OF BAN NON HON.	1350W 19382E	ROII		427	
6,800 X 155 FT E/W GRADED EARTH RUNWAY WITH					
ONLY THE EASTERN 3,100 FT, POSSIBLY					
SERVICEABLE FOR LIGHT AIRCRAFT, WESTERN					
SECTION OF RUNWAY UNDER REPAIR WITH PILES					
OF AGGREGATE OBSERVED ON THE RUNWAY.					
A SMALL SUPPORT AREA OBSERVED NW OF WEST END					
OF RUNWAY.					
A POSSIBLE SECURED COMMUNICATIONS SITE IS					
LOCATED .5 NM NORTH OF WEST ENDERFRUNWAY. ONE POL TRUCK AND ONE CARGO TRUCK NORTH OF					
RUNWAY, 3 ROLLERS ON RUNWAY, AND ONE ROLLER					
AND 2 CARGO TRUCKS (ONE CARGO TRUCK POSSIBLY)					
DISABLED) SOUTH OF RUNWAY.	ē				
AIRCRAFT ONE DERELICT C-47. (A PREVIOUSLY					
REPORTED SECOND DERELICT CH47 IS NEXT TO THE	ek				
NORTHERN SUPPORT FACILITY OF BAN NON HON AREA					
				1	

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

NPIC/R-1246/64

Target Numbers

	T		w.c	rangerr	40mbers	i
	Target	Coordinates	WAC	BE	NPIC	
25X1	LANDING STRIP.)					•
	BAN NON HON, LANDING STRIP 1.6 NM WEST OF BAN NON HON. 4.200 X 175 FT NE/SW GRADED EARTH AND SOD LANDING STRIP, PROBABLY UNSERVICEABLE. FACILITIES INCLUDE 7 SUPPORT BUILDINGS IN AN AREA SOUTH OF THE STRIP AND 13 SUPPORT BUILDINGS NORTH OF THE STRIP. FOUR PROBABLE VEHICLES OBSERVED. AIRCRAFT ONE DERELICT C-47 IN SUPPORT AREA.	1926N 10305E	Ø617		427-A	
25X1	PHONG SAVAN AIRFIELD 11 NM NW OF XIENG KHOUANG AT UTM 135527. 3,000 X 160 FT NW/SE SOD RUNWAY, SERVICEABLE. FACILITIES INCLUDE 4 SUPPORT BUILDINGS IMMEDIATELY WEST OF THE SE END OF RUNWAY. FOUR STRONGPOINTS OBSERVED PARALLEL TO EAST SI E OF RUNWAY AT UTM UG133222. AIRCRAFT ONE DERELICT HELICOPTER.	1927N 10313E	Ø617.] 121	25X1
25X1	BAN NA KHAI AIRFIELD 5 NM WEST OF BAN NA KHAI AT UTM TG93Ø65Ø. APPROXIMATELY 3,2ØØ X 2ØØ FT NE/SW GRADED EARTH RUNWAY, SERVICEABLE. FACILITIES INCLUDE ONE MAINTENANCE/SUPPORT BUILDING, 3 BARRACKS, ONE ADMINISTRATION BUILDING, AND 7 MISCELLANEOUS BUILDINGS.	1934N 10301E	Ø617		426 - C a	

25X1

25X1

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

NPIC/R-1246/64

Target	Coordinates	WAC -		et Numbers
			BE	NPI
NUMEROUS FOXHOLES OBSERVED THROUGHOUT: THE ENTIRE AREA. AIRGRAFT: NONE OBSERVED.				
BAN PA VANG AREA, LANDING STRIP (1) 1.1 NM NW OF BAN PA VANG EAST AIRFIELD AND 3.5 NM ENE OF BAN PA VANG. 900 X 100 FT ENE/WSW GRADED EARTH RUNWAY, SERVICEABLE. NO ACTIVITY OBSERVED. SMALL VILLAGE ADJACENT TO ENE END OF RUNWAY. NUMEROUS PERSONNEL OBSERVED IN VILLAGE. AIRCRAFT NONE OBSERVED.	1949N 10327E	Ø617 a		418
BAN PA VANG AREA, LANDING STRIP (2) APPROXIMATELY 12 NM NNW OF BAN BAN AND 3.5 NM EAST OF BAN PA VANG. 1,050 X 90 FT NE/SW GRADED EARTH RUNWAY, SERVICEABLE. SMALL HUTS ADJACENT TO EACH SIDE OF RUNWAY. NO FACILITIES OBSERVED. NUMEROUS PERSONNEL OBSERVED IN VILLAGE. AIRCRAFT NONE OBSERVED.	1949N 10327E	Ø617		418-
LITARY INSTALLATIONS UON: SOUL AREA, MILITARY AREAS FIVE STRONGPOINTS IN THE MUONG SOUL	1932N 10253E	Ø617	ī.	478-B

25X1

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

NPIC/R-1246/64

Coordinate	1	. WAC		Target Numb		
	-	WAC	BE	NPIC		
	į					
		İ				
		Ì				
		l				
	1					
1919N	10308E	Ø617		47		
1922N	10309E	Ø617		47		
		1919N 10308E				

SECRET

NPIC/R-1246/64

Coordinates	WAC	BE	NPIC
		1	
1926N: 10305E	Ø617 :	÷	427-G
		· ·	
	1926N 10305E	1926N: 10305E 0617	1926N 10305E 0617

25X1

25X1

NPIC/R-1246/64

-	Coordinates		w. 5	Target Numbers	
Target	Coord	linates	WAC	BE	NPIC
SAN NA MA, AAA SITE IMMEDIATELY NE OF BAN NA MA AT UTM UG125495. A 4-GUN UNOCCUPIED AAA POSITION OBSERVED.	1926N	1Ø313E	Ø617		121-C
UONG KAT, STRONGPOINTS THREE STRONGPOINTS EAST AND NE OF MUONG KAT.	1927N	1Ø314E	Ø617		121-8
AREA A (IMMEDIATELY EAST OF MUONG KAT) — UNOCCUPIED CIRCULAR SAWTOOTH TRENCH SYSTEM WITH TRENCHING EXTENDING TO THE SOUTH. AREA B (ONE NM NE OF MUONG KAT, SOUTH OF ROUTE 7) — RECTANGULAR STRONGPOINT ENCLOSED BY TRENCHING CONTAINS 2 BUILDINGS, 2 FIRING BAYS, AND 3 FA PIECES. FIVE BUILDINGS AND 2 CARGO TRUCKS LOCATED OUTSIDE OF STRONGPOINT. AREA C (2 NM NE OF MUONG KAT, NORTH OF ROUTE 7) — SEMICIRCULAR SAWTOOTH TRENCH SYSTEM IS UNOCCUPIED. CHANG KHAI AREA, STRONGPOINTS TWO STRONGPOINTS NW AND WEST OF KHANG KHAI. AREA A (1.5 NM NW OF KHANG KHAI) — SEMICIRCULAR TRENCH SYSTEM CONTAINS ONE SMALL AND 2 LARGE BUILDINGS. AREA B (.5 NM WEST OF KHANG KHAI, JUST NORTH OF ROUTE 7) — CONSISTS OF 3 SECTIONS. THE EASTERN SECTION HAS SAWTOOTH TRENCHING AND 5 UNOCCUPIED WEAPONS EMPLACEMENTS. THE CENTRAL	1928N	10314E	Ø617		3Ø9-B

25X1

25X1

В

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

NPIC /R-1246/64

Target Numbers

	Target	Coordinates	WAC	BE	NPIC
25X1	SECTION HAS A SEMICIRCULAR TRENCH AND 2 UNOCCUPIED WEAPONS EMPLACEMENTS, AND THE WESTERN SECTION HAS 4 UNOCCUPIED FA POSITIONS. NUMEROUS FOXHOLES ARE SCATTERED THROUGHOUT THE AREA.				
25X1	BAN NA KHAI AREA, DEFENSE POSITIONS 2.1 NM SSW DF BAN NA KHAI AT UTM TG931618. TWO STRONGPOINTS CONTAINING NUMEROUS PERSONNEL TRENCHES.	1933N 10302E	Ø617		426-D
,					

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

25X1

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6

NPIC/R-1246/64

Target Numbers

		C 1: .	W.A.C			1
	Target	Coordinates	WAC	BE	NPIC	
	-LAOS-					
	AIR INSTALLATIONS					
	BANN GOUA AREA, LANDING STRIP	192ØN 1Ø3Ø8E	Ø617		479-A	
1	DAIN GOOD PARCENT CONTROL				y	
	XIENG KHOUANG AIRFIELD	1927N 1Ø3Ø8E	Ø617		13Ø-A	25X1
1						
						100 T
	•					
						4

NPIC/R-1246/64

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010023-6 SECRET